


☐ **QUOTE**
☐ **ORDER**

Date Ordered _____

Client _____

Contact _____

Phone _____

Email _____

 Order no _____ ☐ Pickup / ☐ Delivery



Transport co _____

Delivery date _____

Delivery Address _____




Surfist® colour is the standard ceiling colour for roof sheets. Please speak with the Solaris team for other ceiling colour options. Please check colours against COLORBOND® samples, as colours above may not be accurately displayed.



PANEL THICKNESS 50, 75, 100, 125, 150, 200 (mm)	TOP SHEET LENGTH	TOP SHEET COLOUR	PROFILE SMOOTH OR VJ	QTY	CUTBACK (60MM) DIRECTION OF LAY L/H OR R/H
Surfist® colour is the standard ceiling colour for roof sheets. Please speak with the Solaris team for other ceiling colour options.				Roof Pitch°:	

DIAGRAM	PRODUCT	DESCRIPTION	COLOUR	LENGTH/ SIZE/ANGLE	QTY	UOM
	Roof Accessories	RIDGEPANEL FOAM PAN SEAL	N/A	1000mm		EA
		CORROPANEL FOAM PAN SEAL	N/A	1000mm		EA
		TOUCH UP PAINT CAN - COLOUR		N/A		EA
		RIDGEPANEL TOOL - TURN UP/DOWN	N/A	N/A		EA
		RIDGEPANEL RIB INFILL 100mm LONG		100mm		EA
Insulated Roof Fasteners						
	Steel (Up to 3.2mm)	SCREW ASSY TEK 14-14x125 - STEEL		125mm		EA
		SCREW ASSY TEK 14-14x150 - STEEL		150mm		EA
		SCREW ASSY TEK 14-14x175 - STEEL		175mm		EA
		SCREW ASSY TEK 14-14x205 - STEEL		205mm		EA
		SCREW ASSY TEK 14-14x230 - STEEL		230mm		EA
		SCREW ASSY TEK 14-20x300 - STEEL		300mm		EA

	Steel (3-12mm)	SCREW ASSY Series 500 14-20x150 - STEEL		150mm		EA
		SCREW ASSY Series 500 14-20x205 - STEEL		205mm		EA
		SCREW ASSY Series 500 14-20x250 - STEEL		230mm		EA
		SCREW ASSY Series 500 14-20x300 - STEEL		300mm		EA
	Timber	SCREW ASSY T17 14-10x125 - TIMBER		125mm		EA
		SCREW ASSY T17 14-10x150 - TIMBER		150mm		EA
		SCREW ASSY T17 14-10x175 - TIMBER		175mm		EA
		SCREW ASSY T17 14-10x200 - TIMBER		200mm		EA
		SCREW ASSY T17 14-10x240 -TIMBER		240mm		EA
		SCREW ASSY T17 14-10x300 -TIMBER		300mm		EA
	Stitching Screw	CORROPANEL RIB OVERLAP M6-25MM HEX HEAD ROOF ZIP		25mm		EA
Structural						
	Attached	50mm RECEIVER CHANNEL*	SURFMIST®			LM
		75mm RECEIVER CHANNEL*	SURFMIST®			LM
		100mm RECEIVER CHANNEL*	SURFMIST®			LM
		125mm RECEIVER CHANNEL*	SURFMIST®			LM
		150mm RECEIVER CHANNEL*	SURFMIST®			LM
		200mm RECEIVER CHANNEL*	SURFMIST®			LM
Note: * Angles to be provided when placing order (add into length/size/angles column). Max order length 8000mm						
	Apron Flashing	RIDGEPANEL APRON FLASHING 0.55 COLORBOND				LM
		CORROPANEL APRON FLASHING 0.55 COLORBOND				LM
Note: * . Max order length 4000mm						
	Flyover	ROOF EXTENDA BRACKET	N/A	320 - 380mm		EA
			N/A	420 - 480mm		EA
			N/A	520 - 580mm		EA
Roof Flashings						
	Top Barge	50mm TOP BARGE STEP				LM
		75mm TOP BARGE STEP				LM
		100mm TOP BARGE STEP				LM
		125mm TOP BARGE STEP				LM
		150mm TOP BARGE STEP				LM
		200mm TOP BARGE STEP				LM
Note: Angles to be provided when placing order (add into Length/Size/Angles column). All COLORBOND® colours available. Max order length 8000mm						
	Fascia	50mm GUTTER STEP FLASHING				LM
		75mm GUTTER STEP FLASHING				LM
		100mm GUTTER STEP FLASHING				LM
		125mm GUTTER STEP FLASHING				LM
		150mm GUTTER STEP FLASHING				LM
		200mm GUTTER STEP FLASHING				LM
Note: Angles to be provided when placing order (add into Length/Size/Angles column). All COLORBOND® colours available. Max order length 8000mm						
	Side Barge (Open structures)	50mm STEP BARGE FLASHING				LM
		75mm STEP BARGE FLASHING				LM
		100mm STEP BARGE FLASHING				LM
		125mm STEP BARGE FLASHING				LM
		150mm STEP BARGE FLASHING				LM
		200mm STEP BARGE FLASHING				LM
	Non Step Side Barge	50mm NON STEP SIDE BARGE FLASHING				LM
		75mm NON STEP SIDE BARGE FLASHING				LM
		100mm NON STEP SIDE BARGE FLASHING				LM
		125mm NON STEP SIDE BARGE FLASHING				LM
		150mm NON STEP SIDE BARGE FLASHING				LM
		200mm NON STEP SIDE BARGE FLASHING				LM

All COLORBOND® colours available. Max order length 8000mm						
	Large Side Barge (Enclosed)	50mm LARGE SIDE BARGE STEP FLASHING				LM
		75mm LARGE SIDE BARGE STEP FLASHING				LM
		100mm LARGE SIDE BARGE STEP FLASHING				LM
		125mm LARGE SIDE BARGE STEP FLASHING				LM
		150mm LARGE SIDE BARGE STEP FLASHING				LM
		200mm LARGE SIDE BARGE STEP FLASHING				LM
All COLORBOND® colours available. Max order length 8000mm						
	Gutters & Accessories					
	Gutters	EMLINE GUTTER SQUARE-GP FASCIA				LM
		EMLINE GUTTER END STOPS SQUARE				EA
		EMLINE GUTTER BRACKETS SQUARE-GP				EA
		EMLINE GUTTER EXTERNAL OR INTERNAL CORNER ☐ EXTERNAL ☐ INTERNAL				EA
		FITFAST GUTTER SQUARE-GP				LM
		FITFAST GUTTER END STOPS				EA
		FITFAST GUTTER OVERSTRAPS				EA
		FITFAST GUTTER EXTERNAL OR INTERNAL CORNER ☐ EXTERNAL ☐ INTERNAL				EA
		GUTTER 125 HI FRONT SLOTTED QUAD				LM
		GUTTER 125 HI FRONT SLOTTED QUAD END STOPS				EA
		GUTTER 125 HI FRONT SLOTTED QUAD BRACKETS - GP				EA
		GUTTER 125 HI FRONT SLOTTED QUAD EXTERNAL OR INTERNAL CORNER ☐ EXTERNAL ☐ INTERNAL				EA
		GUTTER 150 HI FRONT SLOTTED QUAD				LM
		GUTTER 150 HI FRONT SLOTTED QUAD END STOPS				EA
		GUTTER 150 HI FRONT SLOTTED QUAD BRACKETS - GP				EA
		GUTTER 150 FRONT SLOTTED QUAD EXTERNAL OR INTERNAL CORNER ☐ EXTERNAL ☐ INTERNAL				EA
		UNIVERSAL GUTTER DOWNPIPE DROP 90/100 x 75				EA

	Fasteners	BLIND RIVET 3.2mm		100 per pack		PACK
		RIVET 4.0mm (5/32")	SURFMIST®			EA
		METAL TEKS 10x16 NO NEO WASHER		100 per pack		PACKET
				100 per pack		PACKET
				100 per pack		PACKET
		METAL TEKS 12x20 NO NEO WASHER				EA
						EA
						EA
	CUP HEAD BOLT M10 X 110mm GALV				EA	
	CUP HEAD BOLT AND NUT M10 X 150mm GALV				EA	
All COLORBOND® colours available.						
	Roof Lighting & Accessories					
	Downlights	9W ULTRASLIM LED DOWNLIGHT KIT	COOL			EA
		9W ULTRASLIM LED DOWNLIGHT KIT	WARM WHITE			EA
	Fans	FAN ATTACHMENT LOCKING KIT (TWO TIMBER SCREWS AND TWO NUTS)				EA
 	Skylights	RIDGEPANEL NATURELITE KIT - ROOF, CEILING & INSERTS 5.0m		5000mm		KIT
		RIDGEPANEL NATURELITE KIT - ROOF, CEILING & INSERTS 7.5m		7500mm		KIT
		RIDGEPANEL® NATURELITE PATIO SKYLIGHT SS INSERT				EA
	Beams, Posts & Connectors					
	Firmlok Beams	FIRMLOK 100X50 x 1.1mm COLORBOND®		4000mm		EA
				5000mm		EA
				6100mm		EA
		FIRMLOK 150X50 x 1.5mm COLORBOND®		4000mm		EA
				5000mm		EA
				6100mm		EA
				7500mm		EA
				9000mm		EA
		FIRMLOK 200X50 x 2mm COLORBOND®		6100mm		EA
				7500mm		EA
				9000mm		EA
	Beam Joiners & Brackets	FIRMLOK 100 INTERNAL BEAM JOINER	N/A	N/A		EA
		FIRMLOK 150 INTERNAL BEAM JOINER	N/A	N/A		EA
		FIRMLOK 200 INTERNAL BEAM JOINER	N/A	N/A		EA
		FIRMLOK UNI BRACKET: ☐ 100 ☐ 150 ☐ 200	CLASSIC CREAM®	N/A		EA
			THREDBO WHITE®	N/A		EA
			PAPERBARK®	N/A		EA
			MONUMENT®	N/A		EA
		BRICK WALL BRACKET	CLASSIC CREAM®	N/A		EA
			THREDBO WHITE®	N/A		EA
			PAPERBARK®	N/A		EA
			MONUMENT®	N/A		EA
		FIRMLOK SUSP BRACKET: ☐ 100 ☐ 150 ☐ 200	CLASSIC CREAM®	N/A		EA
			THREDBO WHITE®	N/A		EA
			PAPERBARK®	N/A		EA
			MONUMENT®	N/A		EA

COLORBOND® colours available: Classic Cream™, Thredbo White®, Paperbark® and Monument® (other COLORBOND® colours maybe available, minumum order may be required. Please contact Solaris team to discuss further)						
	Posts – Steel 75	75 X 75 X 4mm - UNNOTCHED - POWDER COATED		2400mm		EA
				3000mm		EA
				3500mm		EA
				4000mm		EA
		75 x 75 x 4mm - NOTCHED - POWDER COATED		2400mm		EA
				3000mm		EA
				3500mm		EA
				4000mm		EA
All COLORBOND® colours available.						
	Posts – Steel 90	90 X 90 X 2.5mm UNNOTCHED - POWDER COATED		2400mm		EA
				3000mm		EA
				3500mm		EA
				4000mm		EA
		90 X 90 X 2.5mm - NOTCHED - POWDER COATED		2400mm		EA
				3000mm		EA
				3500mm		EA
				4000mm		EA
All COLORBOND® colours available.						
	Post Aluminium	ALUMINIUM POSTS 67 x 67mm		2400mm		EA
				2700mm		EA
				3000mm		EA
			ALUMINIUM POST FOOT		67mm	
All COLORBOND® colours available.						
	Base Plates – Steel 75 & 90	BASE PLATE 75 x 75mm		75mm		EA
		BASE PLATE 90 x 90mm		90mm		EA
All COLORBOND® colours available.						
	Connectors	CONNECTOR ALUMINIUM POST	N/A	67mm		EA
		CONNECTOR STEEL POST 75mm	N/A	75mm		EA
		CONNECTOR STEEL POST 90mm	N/A	90mm		EA
		CONNECTOR STEEL POST-SLAB	N/A	75mm x 3mm & 5mm		EA
		CONNECTOR STEEL POST-SLAB	N/A	90mm x 3mm & 5mm		EA

☐ **Quote:**
☐ **Order:**

Date Ordered _____

Client _____

Contact _____

Phone _____

Email _____



Walling sheets comes standard as COLORBOND® Intramax™ colour



Smoothpanel®



Order no _____ ☐ Pickup / ☐ Delivery

Transport co _____

Delivery date _____

Delivery Address _____

☐ Internal ☐ External Material

☐ 0.4 Steel ☐ 0.6 Steel

Profiles

☐ Smooth ☐ Ribbed ☐ Satinline

PANEL THICKNESS 50, 75, 90, 100, 125, 140, 150, 200, 250 (mm)	SHEET LENGTH	QTY

DIAGRAM	PRODUCT	DESCRIPTION	COLOUR	LENGTH/ SIZE/ANGLE	QTY	UOM
	Angles	25x25x1.6 WALL INTERNAL CORNER ANGLE	N/A	6500mm		EA
		25x25x1.6 WALL INTERNAL CORNER ANGLE POWDER COATED	SURFMIST®	6500mm		EA
		50x50x1.6 WALL-CEILING COVER ANGLE	N/A	6500mm		EA
		50x50x1.6 WALL-CEILING COVER ANGLE POWDER COATED	SURFMIST®	6500mm		EA
		70x40x1.6 CAPPING ANGLE	N/A	6500mm		EA
		70x40x1.6 CAPPING ANGLE POWDER COATED	SURFMIST®	6500mm		EA
	Door Jambs	50mm DOOR JAMB	SURFMIST®	5300mm		LTH
		75mm DOOR JAMB	SURFMIST®	5300mm		LTH
		100mm DOOR JAMB	SURFMIST®	5300mm		LTH
IMAGE NOT AVAILABLE		DOOR JAMB PERIMETER GASKET SEAL		16m		ROLL
	Channels	50mm BASE CHANNEL 1.6mm ALUMINIUM	SURFMIST®	6500mm		EA
		50mm BASE CHANNEL 1.6mm ALUMINIUM	CLASSIC CREAM™	6500mm		EA
		75mm BASE CHANNEL 1.6mm ALUMINIUM	SURFMIST®	6500mm		EA
		100mm BASE CHANNEL 1.6mm ALUMINIUM	SURFMIST®	6500mm		EA
		150mm BASE CHANNEL 1.6mm ALUMINIUM	SURFMIST®	6500mm		EA
* AVAILABLE IN ALL PANEL THICKNESSES						
	Fixings	RIVET 4.0mm (5/32")	SURFMIST®			EA
All COLORBOND® colours available.						